

BADEN


SEMI-VERTICAL & SERVE-OVER • REMOTE REFRIGERATION UNIT




24/01/2024 content modifiable without notice.

BADEN VETR TN V LINEARE R


Length without side panels	mm		937	1250	1875	2500	3750
Temperature class		3M1	•	•	•	•	•
		3M2	•	•	•	•	•
Preservation temperature	°C	0/+2	•	•	•	•	•
		+2/+4	•	•	•	•	•
Horizontal display area*	m ²	Depth 80	0,75	1	1,5	2	3
		90	0,84	1,13	1,69	2,25	3,38
Energy class**		Depth 80-90					



SELF90



VDF80




VDF90

BADEN VETR-PW TC LINEARE

Length without side panels	mm		937	1250
Stored product temperature	°C	+70	•	•
Horizontal display area*	m ²		0,54	0,76

Model not subject to energy labelling.




VDF90

BADEN VETR-BM TC LINEARE

Length without side panels	mm		937	1250
Stored product temperature	°C	+70	•	•
Horizontal display area*	m ²		0,54	0,76


Model not subject to energy labelling.



VDF90

BADEN VETR-CK TN V LINEARE R

Length without side panels	mm		1250	2500
Temperature class		3M2	•	•
Preservation temperature	°C	+2/+4	•	•
Horizontal display area*	m ²		1,13	2,25
Energy class**				



VDF90


*Value referred to illustrated configurations.

**The energy class may vary depending on the product configuration.

BADEN VETR-FH TN SCC LINEARE R

Length without side panels	mm	937	1250	1875	2500	3750
Temperature class	3 M1	•	•	•	•	•
Preservation temperature	°C 0/+2	•	•	•	•	•
Horizontal display area*	m ²	0,88	1,17	1,76	2,35	3,52


Model not subject to energy labelling.



VDF 90

BADEN VETR-AV TN V LINEARE R

Length without side panels	mm	1250
Temperature class	3 M2	•
Preservation temperature	°C +2/+4	•
Horizontal display area*	m ²	1,04
Energy class**		E




90

*Value referred to illustrated configurations.


**The energy class may vary depending on the product configuration.

BADEN SVT-A-1 TN V LINEARE R

Length without side panels	mm	937	1250			1875		2500		3750	
Height	cm	125	110	125	110	125	110	125	110	125	
Temperature class	3 M1	•	•	•	•	•	•	•	•	•	
	3 M2	•	•	•	•	•	•	•	•	•	
Preservation temperature	°C										
	0/+2	•	•	•	•	•	•	•	•	•	
	+2/+4	•	•	•	•	•	•	•	•	•	
Horizontal display area*	m ²										
	Depth	90	1,5	1,6	2	2,4	3	3,2	4	4,8	6
Energy class**											
	Depth	90									



90 H110



90 H125

*Value referred to illustrated configurations.

**The energy class may vary depending on the product configuration.