


SENDAI 2


OPEN ISLANDS & SEMI-VERTICAL • PLUG-IN AND REMOTE




30/06/2023 content modifiable without notice.

SENDAI 2 ISL-A-1 TN V LINEARE I


Length without side panels	mm	1280	
Temperature class	3 M1	•	
Preservation temperature	°C 0/+2	•	
Refrigerant	R290	•	
Horizontal display area*	m ²	Depth 70	0,88
		85	1,07
Energy class**	Depth 70 - 85		




70



85





VD 70




VD 85

SENDAI 2 ISL-A-1 TN V TESTATA I

Overall length	mm	1100
Temperature class	3 M1	•
Preservation temperature	°C 0/+2	•
Refrigerant	R290	•
Horizontal display area*	m ²	-
Energy class**		





85



85 DX

SENDAI 2 ISL-C-1 TN V LINEARE I

Length without side panels	mm	1280	
Temperature class	3 M0	•	
Preservation temperature	°C -1/+1	•	
Refrigerant	R290	•	
Horizontal display area*	m ²	Depth 70	0,88
		70	
Energy class**	Depth 70		




70

*Value referred to illustrated configurations.

**The energy class may vary depending on the product configuration.

SENDAI 2 ISL-A-2 TN V LINEARE I

Length without side panels	mm		1280
Temperature class		3 M1	•
Preservation temperature	°C	0/+2	•
Refrigerant		R290	•
Horizontal display area*	m ²	Depth 60	1,52
Energy class**		Depth 60	F




60

SENDAI 2 VETR-PW TC LINEARE

Length without side panels	mm		1280
Stored product temperature	°C	+65	•
Horizontal display area*	m ²	Depth 70	1,79
		85	-

Model not subject to energy labelling.




VD 70

SENDAI 2 VETR-PW TC LINEARE TH

Length without side panels	mm		1280
Stored product temperature	°C	+65	•
Horizontal display area*	m ²	Depth 70	1,79

Model not subject to energy labelling.



TH 70


*Value referred to illustrated configurations.

**The energy class may vary depending on the product configuration.


SENDAI 2 ISL-A-1 DRY LINEARE

Length without side panels	mm		1280
Horizontal display area*	m ²	Depth 70	0,88
		85	1,07

Model not subject to energy labelling.




70




85

SENDAI 2 SVT-A-1 TN V LINEARE I SLIM

Length without side panels	mm		1280
Height	cm		125
Temperature class		3 M2	•
Preservation temperature	°C	+2/ +4	•
Refrigerant		R290	•
Horizontal display area*	m ²	Depth 70	1,25
		85	1,57
Energy class**		Depth 70 - 85	



70 H125




85 H125

*Value referred to illustrated configurations.


**The energy class may vary depending on the product configuration.

SENDAI 2 SVT-A-1 TN V LINEARE I


Length without side panels	mm	1280		
Height	cm	125	150	
Temperature class	3 M1	•	•	
Preservation temperature	°C 0/+2	•	•	
Refrigerant	R290	•	•	
Horizontal display area*	m ²	Depth 70	1,25	1,53
		85	1,57	1,84
Energy class**	Depth 70 - 85			




70 H125



85 H125



70 H150



85 H150

*Value referred to illustrated configurations.

**The energy class may vary depending on the product configuration.